



26

# WaterMark

## Certificate of Conformity

Australian Certification Services Pty Ltd grants to the WaterMark Approved User:

# Oz Filter Warehouse (QLD) Pty Ltd

Trading as Oz Filter Warehouse

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database [www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme](http://www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme) which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Water Filter Componentry  
Product Use: Drinking Water Treatment  
Brand: OZ Filter Warehouse  
Certification Specification/s: AS/NZS 3497:1998 Amdt 1 2001 Drinking water treatment units—  
Plumbing requirements

Paul Greig  
General Manager

Issue Date: 26<sup>th</sup> July 2019  
Initial Issue Date: 26<sup>th</sup> July 2019  
Expiry Date: 25<sup>th</sup> July 2024

Certificate No.: 23370

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety





# WaterMark Certification Schedule

The WaterMark User	Oz Filter Warehouse (QLD) Pty Ltd ABN: 24 600 045 869 Unit 1 2 Herbert St Slacks Creek Queensland 4127 AUSTRALIA Website: www.ozfilterwarehouse.com.au
Certificate Number	23370
Evaluation Specification/s:	AS/NZS 3497:1998 Amdt 1 2001 Drinking water treatment units—Plumbing requirements

## Product Listing

Model Identification	Model Name	Brand Name	Product Description
FH 10-14	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (White) Plastic (Polypropylene) Physical Size 10" Max. min Water Temp. 5-45°C Max Operating Pressure 100-800kPa 1/4" Female Threaded End Connections
FH 10-12	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (White) Plastic (Polypropylene) Physical Size 10" Max. min Water Temp. 5-45°C Max Operating Pressure 100-800kPa 1/2" Female Threaded End Connections
FH 10-34	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (White) Plastic (Polypropylene) Physical Size 10" Max. min Water Temp. 5-45°C Max Operating Pressure 100-800kPa 3/4" Female Threaded End Connections
FH 10-31	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 20" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa 3/4" Female Threaded End Connections
FH 10B-1	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 10" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa 1" Female Threaded End Connections



<b>Model Identification</b>	<b>Model Name</b>	<b>Brand Name</b>	<b>Product Description</b>
FH 10B-1P	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 10" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa Pressure Gauge Connections 1" Female Threaded End Connections
FH 10B-34	Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 10" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa 3/4" Female Threaded End Connections
FH 20B-1	Big Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 20" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa 1" Female Threaded End Connections
FH 20B-34	Big Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 20" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa 3/4" Female Threaded End Connections
FH 20B-1P	Big Alpine Pure Housing	ALPINE PURE	Water Filter Housing (Blue/Black Cap) Plastic Bodied (Polypropylene) Physical Size 20" Max. min Water Temp. 5-45°C Max Operating Pressure 100-650kPa Pressure Gauge Connections Female Threaded End Connections

